

Tel.: +49 8191 327-2563

Fax: +49 8191 327-72 2563

Page 1/10

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· Date of compilation: 27.10.2009

· 1.1 Product identifier

· Trade name: RATIONAL Decalcifier

· Article number(s): 6006.0110

 $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation: Deliming agent
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer / Supplier:

**RATIONAL AG** 

Siegfried-Meister-Straße 1 86899 Landsberg am Lech

Germany

- E-mail address of the competent person responsible for the Safety Data Sheet: reinigung@rational-online.com
- · Informing department: Product management
- · 1.4 Emergency telephone number: Hotline: +49 (0) 6132-84463

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

Phosphoric acid

(Contd. on page 2)

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

**Trade name: RATIONAL Decalcifier** 

(Contd. of page 1)

#### Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· Description: Aqueous solution

· Dangerous components:			
CAS: 5329-14-6	Sulphamic acid	≥2.5-<10%	
EINECS: 226-218-8 Index number: 016-026-00-0	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412		
CAS: 7664-38-2	Phosphoric acid	≥3-<10%	
EINECS: 231-633-2 Index number: 015-011-00-6	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; (1) Acute Tox. 4, H302		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

· Ingredients according	to Pogulation	(EC) No	649 /2004
· marealents according	to Reduiation	ICECINO	040/ZUU4:

non-ionic surfactants <5%

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing contaminated by the product.
- · After inhalation: Supply fresh air; consult doctor in case of symptoms.
- · After skin contact:

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 3)

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

**Trade name: RATIONAL Decalcifier** 

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water.

Remove contact lenses, if present and easy to do.

Use eye protection.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting - Danger of perforation!

Call a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents none
- · 5.2 Special hazards arising from the substance or mixture

Can be released in case of fire:

Nitrogen oxides (NOx)

Oxides of phosphorus (PxOy)

Sulphur oxides (SOx)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Avoid contact with skin and eyes.

Use breathing protection against the effects of fumes/dust/aerosol.

· 6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Dilute with much water.

· 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable containers.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

**Trade name: RATIONAL Decalcifier** 

(Contd. of page 3)

See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes.

Do not breathe vapour/spray.

Make sure that all applicable workplace limits are observed.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers:

Store in the original container.

Observe all local and national regulations for storage of water polluting products.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store and transport upright.

· 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters

· Components with critical values	that require monitori	g at the workplace:
-----------------------------------	-----------------------	---------------------

### 7664-38-2 Phosphoric acid

WEL (Great Britain)
Short-term value: 2 mg/m³
Long-term value: 1 mg/m³
IOELV (European Union)
Short-term value: 2 mg/m³

Long-term value: 2 mg/ m
Long-term value: 1 mg/ m

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any contaminated garments.

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

Breathing equipment:

Use breathing protection when aerosol or mist is formed.

If all workplace limits are observed and good ventilation is ensured, no special precautions necessary.

(Contd. on page 5)

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

**Trade name: RATIONAL Decalcifier** 

(Contd. of page 4)

### · Protection of hands:

Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

### · Material of gloves

e.g. KCL Dermatril® 740

Recommended thickness of the material: ≥ 0.11 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

Penetration time: ≥ 8 hours

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Tightly sealed safety glasses
- · Body protection:

Protective work clothing

Body protection must be chosen depending on activity and possible exposure.

# SECTION 9: Physical and chemical properties

- · General Information
- · Appearance:

Form: liquid
Colour: yellowish

Smell: characteristic
Odour threshold: not determined

· pH-value at 20 °C: < 1

· Change in condition

Melting point/freezing point: not determined Initial boiling point and boiling range: ≥ 100 °C

· Flash point:	not applicable
· Inflammability (solid, gaseous)	Not applicable.
· Ignition temperature:	not applicable
· Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.

(Contd. on page 6)

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

**Trade name: RATIONAL Decalcifier** 

		(Contd. of page
· Critical values for explosion:		
Lower:	Not determined.	
Upper:	Not determined.	
· Oxidising properties	not classified as oxidising	
· Vapor pressure at 20 °C:	23 hPa	
· Density at 20 °C:	1.085 g/cm³	
Relative density	Not determined.	
· Vapour density (AIR = 1):	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	fully miscible	
· Partition coefficient: n-octanol/	water: Not determined.	
· Viscosity:		
dynamic:	not determined	

not determined

Further informations please refer to technical data sheet.

0%

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

kinematic:

Organic solvents:

· 9.2 Other information

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Corrosive action on metals
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:

Nitrogen oxides (NOx)

Phosphorus oxides (e.g. P<sub>2</sub>O<sub>5</sub>)

Sulphur oxides (SOx)

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:		
5329-14-6 Sulphamic acid		
Oral	LD50	3160 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rat)
7664-38-2 Phosphoric acid		
Oral	LD50	1530 mg/kg (rat)

(Contd. on page 7)

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

**Trade name: RATIONAL Decalcifier** 

			(Contd. of page 6)
Dermal	LD50	2740 mg/kg (rabbit)	
Inhalative	LC50/1 h	1.689 mg/l (rabbit)	

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes severe skin burns and eye damage.

· Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of Regulation (EC) No. 1272/2008 (CLP/GHS):

Skin Corr. 1B

Eve Dam. 1

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

According to present knowledge no CMR-effects known.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity:

  5329-14-6 Sulphamic acid

  LC50/96 h 70.3 mg/l (fish)

  7664-38-2 Phosphoric acid

  LC50/96 h 75.1 mg/l (oryzias latipes)

  EC50/24 h 29 mg/l (water flea (daphnia magna)) (ISO 6341 15)

  Water quality

  IC50 270 mg/l (bacteria)
  - $\cdot\,\textbf{12.2 Persistence and degradability}\,\,\text{No further relevant information available}.$
  - 12.3 Bioaccumulative potential No further relevant information available.
  - · 12.4 Mobility in soil No further relevant information available.
  - · Additional ecological information:
  - · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Water hazard class 1 (Self-assessment): slightly hazardous for water

(Contd. on page 8)

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

**Trade name: RATIONAL Decalcifier** 

(Contd. of page 7)

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

SECTION 14: Transport information

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

· European waste catalogue:

Waste disposal key numbers from EWC have to be assigned depending on origin and processing.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

· 14.1 UN-Number · ADR, IMDG, IATA	UN3264
· 14.2 UN proper shipping name	
· ADR	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (PHOSPHORIC ACID, SULPHAMIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (SULPHAMIC ACID, PHOSPHORIC ACID, SOLUTION)

- · 14.3 Transport hazard class(es)
- · ADR



· Class 8 (C1) Corrosive substances.

· Label 8

· IMDG, IATA



· Class 8 Corrosive substances.

· Label 8

(Contd. on page 9)

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

**Trade name: RATIONAL Decalcifier** 

	(Contd. of page
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	NO
14.6 Special precautions for user	Warning: Corrosive substances.
Kemler Number:	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	Α
Stowage Code	SW2 Clear of living quarters.
14.7 Transport in bulk according to Ann	nex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ):	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 n
Transport category:	3
Tunnel restriction code:	E
·IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
-	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 n
UN "Model Regulation":	UN3264, CORROSIVE LIQUID, ACIDIC,
	INORGANIC, N.O.S. (PHOSPHORIC ACID,
	SOLUTION, SULPHAMIC ACID), 8, III

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use:

Employment restrictions concerning young persons must be observed.

- Decree to be applied in case of technical fault: Directive 2012/18/EU does not apply.
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water
- · Other regulations, limitations and prohibitive regulations

Observe restrictions on the marketing and use according to Annex XVII of Regulation (EC) No 1907/2006.

(Contd. on page 10)

Printing date 10.12.2019 Version number 2 Revision: 10.12.2019

Trade name: RATIONAL Decalcifier

(Contd. of page 9)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Reasons for changes:

The Material Safety Data Sheet has been revised. Changes in the respective chapters are characterized in the left side edge by \*.

### · Relevant phrases

The(se) H-phrase(s) are those of the ingredient(s) and do(es) not necessarily represent the classification of the product.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

### · Department issuing SDS:

C.S.B. GmbH Phone: +49 - 2151 - 652086-0 Düsseldorfer Str. 113 Fax: +49 - 2151 - 652086-9

47809 Krefeld / Germany

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

### · \* Data compared to the previous version altered.